

Material Handling Solutions

4436
Side Panel Platform
Truck (24" x 48")



4468
Sheet & Panel
Truck (24" x 48")



4465
Convertible A-frame
Truck (24" x 41")



4436
Convertible Platform
Truck (24" x 52")



Smart, Rugged, Trusted.

Transport large, bulky items and hard-to-handle loads with ease. Rubbermaid® Commercial Products set a new standard of excellence in heavy-duty platform trucks and carts. Rubbermaid® has significantly redesigned and expanded its material handling line with new categories, new products and new innovations that will help you work smarter, faster and safer. Real-world rugged durability, innovative technology and best-in-class features combine to create long-lasting trucks and carts that carry heavy loads and make your work easier. Rubbermaid's exclusive Duramaid™ technology exceeds the highest performance standards in the industry. Rubbermaid's material handling products are tested and retested to meet rigorous durability standards.





*Material Handling
Storage*

Storage & Material Handling



A. Cube Trucks

Durable trucks for waste collection, material transport and laundry handling. Smooth surface for easy cleaning. Black.

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
4PCP4608BLA	300 lb./8	38 x 26 x 28 1/4	36 lbs.	
4PCP4612BLA	400 lb./12	42 1/4 x 28 x 33	40 lbs.	
4PCP4614BLA	500 lb./14	44 1/4 x 31 x 32 1/4	47 lbs.	
4PCP4616BLA	500 lb./16	43 1/4 x 31 x 37	51 lbs.	
4PCP4619BLA	600 lb./20	48 x 34 1/4 x 36 1/4	60 lbs.	

B. Cube Truck Lids

Domed, hinged lid conceals loads without affecting capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
4PCP4609BLA	4608	13.5 lbs.	
4PCP4613BLA	4612, 4712	14.3 lbs.	
4PCP4615BLA	4614, 4616, 4716	17.2 lbs.	
4PCP4617BLA	4619	18.8 lbs.	

C. Structural Foam Tilt Trucks

Structural foam technology provides maximum durability without metal frame. Ergonomic steering wheel handle and secondary dump handle provides excellent handling and maneuvering. Black.

No.	Capacity	Shpg. Wt.	Each
4PCP1011BLA	600 lb.	32 lbs.	
4PCP1013BLA	1000 lb.	101 lbs.	





A. Tilt Trucks

Specially made to handle bulky, medium to heavyweight materials. Sturdy, plastic construction. Easy to maneuver and dump contents. Wheels and axle are inset to prevent damage to interior surfaces and equipment. Black. (Optional lids sold separately.)

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
½ Cubic Yard*				
◆RCP 1304 BLA	450-lbs.	56¼ x 28 x 38¾	62-lbs.	
◆RCP 1305 BLA	850-lbs.	60½ x 28 x 38¾	77-lbs.	
◆RCP 1306 BLA	1,400-lbs.	60½ x 28 x 38¾	88-lbs.	

1 Cubic Yard

◆RCP 1314 BLA	850-lb.	72¼ x 33½ x 43¾	111-lbs.	
◆RCP 1315 BLA	1,250-lb.	72¼ x 33½ x 43¾	111-lbs.	
◆RCP 1316 BLA	2,100-lb.	72¼ x 33½ x 43¾	120-lbs.	

* ½ cubic yard tilt trucks do not come with a handle



Center hinge lets lid open from either end.

B. Tilt Truck Lids

Domed, hinged lid conceals loads without reducing capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 1307 BLA	1304, 1305, 1306, 9T17	23.3-lbs.	
◆RCP 1317 BLA	1314, 1315, 1316, 9T18	24-lbs.	



C. Tilt Trucks

Sturdy, plastic construction. Smooth and seamless, one-piece molded truck bodies with reinforced lip are rounded and easy to clean. 4-in. center swivel back caster provides easy maneuvering. Durable, one-piece, 10-in. blow-molded polypropylene wheels offer low maintenance and protect surroundings. Powder-coated steel frame for corrosion resistance. Black.

No.	Capacity	Size (L x W x H)	Shpg. Wt.	Each
½ Cubic Yard*				
◆RCP 9T17 BLA	300-lb.	56¼ x 28 x 38¾	46.3-lbs.	
1 Cubic Yard				
◆RCP 9T18 BLA	600-lb.	72¼ x 33½ x 43¾	98.6-lbs.	

* ½ cubic yard tilt trucks do not come with a handle



D. Big Wheel™ Utility Cart

Heavy-duty structural foam construction hauls up to 300-lbs. Durable, one-piece tub construction. Reinforced ribbing provides added impact resistance. Smooth, easy-to-dump, easy-to-clean pan. Level capacity 7½ cubic feet. Comfortable, molded, structural foam handles. Steel axle and large 20 x 2 wheels with pneumatic tires. Black. 32¾w x 57½d x 28¼h. Shpg. wt. 45-lbs.

◆RCP 5642 BLA	Each
---------------	------



GREEN TIP

The EPA estimates that there are 136 million tons of construction and demolition debris generated in the U.S. annually, or 2.8-lbs./person/day. If your building is undergoing any kind of rehabilitation or construction, keep in mind that there are many government organizations and recycling facilities that will assist you with recycling or reusing excess materials and some kinds of demolition debris. You can be the one that makes these materials available for reuse and keep them out of our landfills and waste streams.

<http://www.epa.gov/epawaste/conserve/r/r/r/index.htm>





Molded-in tie down slots allow use of straps or bungees.



Underside view of Duramold™ deck.



Handle folds flat for use as a dolly.



Use as a two-wheel hand truck or a four-wheel platform truck with two swivel casters.



A. Heavy-Duty Platform Trucks

Exclusive Duramold™ decks are formed from a precision engineered resin and metal composite structure that provides maximum load support. Four molded-in tie down slots to secure loads with straps or bungees (not incl.). Retainer clips prevent unintended removal of the powder coated steel handle. Four casters, two swivel. Black.

No.	Capacity	Shpg. Wt.	Each
36 x 24 Platform			
4RCP 4403 BLA	1000 lb.	50 lbs.	
4RCP 4405 BLA	2000 lb.	63 lbs.	
48 x 24 Platform			
4RCP 4435 10 BLA	1200 lb.	75 lbs.	
4RCP 4435 BLA	2000 lb.	63 lbs.	
4RCP 4441 BLA	2500 lb.	68 lbs.	
60 x 30 Platform			
4RCP 4465 BLA	2000 lb.	88 lbs.	
4RCP 4471 BLA	2500 lb.	101 lbs.	

B. Home and Office Carts

Three position handle moves upright for pushing, angles for pulling or folds flat for use as a dolly or for storage. Structural foam platform won't rust, dent or bend. 500 lb. capacity model has ergonomic handle for easier movement and 5 in. dia. casters for extra stability. Marakid platform is 20 1/4 x 31 1/4 (35 1/4 with handle flat). Four nonmarking casters, two swivel. Black.

No.	Capacity	Shpg. Wt.	Each
Utility Dolly (Not shown)			
RCP 4400 BLA	250 lb.	21 lbs.	
Standard Dolly			
RCP 4401 BLA	500 lb.	25 lbs.	

WHEELS

- Heavy gauge welded tubular steel frames

C. Two-Wheel Hand Truck

Large 7 x 14 beveled steel toe plate for big loads. 500 lb. capacity. Steel stair glides. 10 x 2 1/4 solid rubber tires. Green enamel finish. Loop handle. Overall. 21 1/4w x 50 1/4h. Shpg. wt. 34 lbs.

WES 626022	Each
------------	------

D. Two-Way Convertible Truck

Converts easily from a two wheel, 500 lb. capacity hand truck to a four wheel, 600 lb. capacity platform truck. 7 x 14 beveled steel nose plate. Two 10 x 2 1/4 solid rubber tires, two 5 in. swivel casters. Green enamel finish. Overall. 20w x 48h. Shpg. wt. 38 lbs.

WES 6562122	Each
-------------	------



See Pgs. 329-335 for **FACILITY MAINTENANCE & SAFETY**

Start tooling around... a pre-stocked tool kit meets your office maintenance needs.





A. Five-Drawer Mobile Workcenter

Heavy duty workurface supports up to 250 lbs. Five storage drawers for tools, supplies and more. Table top bins keep small parts within reach. Peg board side panels provide convenient tool organization. Built in cord wrap allows neat storage of power tools or work lights. Locking bar Polypropylene. Four swivel casters (Two locking). Black/Red. 32.6w x 19.8d x 33.5h. Shpg. wt. 68 lbs.

4PCP7734 BLA

Each

B. Trades Cart with Locking Cabinet

Fully enclosed, lockable storage compartment keeps costly tools and sensitive materials secure. Perfect for facility maintenance work. Structural foam construction. Ergonomic top surface provides a handy work area for items weighing up to 180 lbs. Two shelves. Bottom shelf holds up to 150 lbs. Total cart capacity 450 lbs. (including drawers). Four removable parts boxes for assorted parts and hardware. Two storage drawers hold supplies. Molded in, wrap-around handle features storage bin for small tools and parts. Mounting bracket serves as cord wrap or holds wastebasket. 5 in. nonmarking swivel casters (Two locking). Black. 38w x 19.5d x 33.9h. Shpg. wt. 68 lbs.

4PCP 6180 88 BLA

Each



A

Locking bar provides security and holds drawers in place.



Lockable cabinet

B

CONVERTIBLE TRUCKS

DuraMold™ precision engineered resin and metal composite structure for durability and long life. Textured deck surface reduces load slippage. Molded in tie down slots for load security. Perimeter deck channel retains small items. Retainer clips prevent unintended handle removal. Powder coated steel handle / frame for long service life. Two fixed, two swivel casters. 2,000 lb. maximum capacity

C. Convertible A-Frame Truck 24 x 44

Convertible design quickly transforms into multiple truck and cart configurations. Transports sheet goods, pipe, lumber bar stock and more! Fold down top shelves provide convenient tool and small item storage, 100 lb. capacity per side. Four articulating outrigger arms fold down, 100 lb. capacity per arm. Large deck and top shelf surface area. Black. 50.7w x 27.5d x 48.5h. Shpg. wt. 133 lbs.

4PCP4465 BLA

Each



C

2000
LB CAPACITY

D. Convertible Platform Truck 24 x 52

Convertible design quickly transforms the bulk load capacity of a standard platform truck to a heavy duty two shelf utility cart with push button release latch. Three product configurations in one: 24 x 52 Platform or U boat Truck, 1,000 lb. capacity; 24 x 44 Heavy Duty two shelf Utility Cart, 750 lb. capacity; 61.5w x 25.5d x 42h. Shpg. wt. 106 lbs.

4PCP4436 BLA

Each



Converts to a two-shelf utility cart



Converts to a platform truck

Platform Trucks



Underside view of Duramold® deck.



A



B



C



PLATFORM TRUCKS

Duramold™ exclusive engineered resin and metal composite structure provides maximum load support. Structural foam and steel reinforced deck for enhanced durability, won't rust, dent, chip or splinter. Molded in tie down slots for load security. Textured deck surface reduces load slippage. Perimeter deck channel retains small items. Two fixed, two swivel heavy duty polyurethane casters for optimal control, maneuverability and long wear life over a variety of surfaces. Easy and quick assembly with common tools. Virtually maintenance free. Black.

A. A-Frame Panel Truck

Steel reinforced frame and side rails hold bulky sheet goods firmly in place during transit. Inclined frame and side rail retainer clips prevent unintended removal. Large surface load area improves productivity. Deck size: 24 in. x 48 in. Overall dimensions: 24w x 51l x 45h. Capacity 2,000 lbs. Shpg. wt. 73.8 lbs.

PCP4463 BLA

Each

B. Sheet & Panel Trucks

Three removable powder coated steel vertical frames provide support for hard to handle loads. Vertical frame retainer clips prevent unintended removal. Deck size: 24 in. x 48 in. Overall dimensions: 24w x 51l x 40h. Capacity 2,000 lbs. Shpg. wt. 73.8 lbs.

PCP4468 BLA

Each

C. Stanchion Truck

Heavy duty steel corner posts provide easy loading and unloading. Corner posts retainer clips prevent unintended removal. Deck size: 24 in. x 48 in. Overall dimensions: 24w x 51l x 42.625h. Capacity 2,500 lbs. Shpg. wt. 54.6 lbs.

PCP4482 BLA

Each





PLATFORM TRUCKS

Duramold™ exclusive engineered resin and metal composite structure provides maximum load support. Structural foam deck for enhanced durability, won't rust, dent, chip or splinter. Molded in tie-down slots for load security. Textured deck surface reduces load slippage. Perimeter deck channel retains small items. Virtually maintenance free.

A. Work-Height Platform Truck

Adjustable work height from 25 in. to 31 in. high in 3 in. increments. Ergonomic handle design improves control and worker safety. Steel reinforced deck for enhanced durability. Powder coated steel handle with retainer clip prevents unintended removal. Two fixed, two swivel heavy duty polyolefin casters for optimal control, maneuverability and long wear life over a variety of surfaces. Easy and quick assembly with common tools. Deck size 24 in. x 48 in. Overall dimensions: 24w x 52.25l x 47.875h. Black. Capacity 2,000 lbs. Shpg. wt. 102 lbs.

PCP4473 BLA Each



A

B. 5th Wheel Wagon Trucks

5th wheel steering ensures tight turning radius and easy maneuverability. Vinyl grip, powder coated "T" pull handle stays upright when not in use. T end is removable for towing applications (tow package sold separately). Towing capabilities: single truck, up to five mph. Rubber casters provide floor surface protection, quiet operation and shock absorption. Pneumatic casters protect loads over rough indoor and outdoor surfaces. Steel reinforced deck for enhanced durability. Easy and quick assembly with common tools. 24w x 54 l x 31.75h. Black. Capacity 2,000 lbs. Shpg. wt. 98 lbs.

No.	Casters	Each
PCP4477 BLA	Pneumatic	
PCP4478 BLA	Thermo Plastic Rubber	



B

C. Side Panel Platform Truck

Ergonomic handle design improves control and worker safety. Side panels easily remove to accommodate oversized loads. Versatile design allows for multiple configurations, one to four panels. End panel cut outs allow for ergonomic access of contents. Steel reinforced deck for enhanced durability. Two fixed, two swivel heavy duty 8 in. casters for optimal control and maneuverability. Easy and quick assembly with common tools. Deck size 24 in. x 48 in. 24w x 55.75 l x 41h. Black. Shpg. wt. 73.7 lbs.

No.	Casters	Capacity	Each
PCP4485 BLA	Pneumatic	1,200 lbs.	
PCP4486 BLA	Thermo Plastic Rubber	2,000 lbs.	



C

D. Semi-Live Skid 24-in. x 48-in.

Heavy duty towplate engages/disengages jack handle PCP4492 (sold separately). 24w x 51 l x 45h. Black. Capacity 2,000 lbs. Shpg. wt. 73.8 lbs.

PCP4494 BLA Each

E. Semi-Live Skid Jack Handle

Ergonomic handle design enables tight turning radius for easy maneuverability in confined spaces which improves control and worker safety. For Semi-Live Skid PCP4494 BLA (sold separately). Prod. Shpg. wt. 98 lbs.

PCP4492 PED Each



E

Casters to Meet Your Needs



POLYOLEFIN

Hardwired polyolefin casters roll easier than all-steel casters. Non-marking, impact and chemical resistant casters won't flat spot under side load or pick-up metal, twigs, nails and other debris. Excellent on concrete, wood, carpet and steel surfaces.



PNEUMATIC

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



THERMOPLASTIC RUBBER (TPR)

TPR casters do not shock and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete and carpet.

Utility Carts



500

A



500

Front "hook" holds extension cord or soft washers/buckets. Handle has storage for small parts and tools.

B



300

C



300

D




300

E




A. Heavy-Duty Utility Carts

Transport materials, supplies and heavy loads in almost any environment. Variable grip height handle improves control and worker safety. Deep pocket lipged shelves keep contents in place. Four nonmarking casters, unless noted otherwise. 

No.	Color	Size (W x D x H)	Max. Cap.	Shpg. Wt.	Each
RCP 4500 88 BE1	Beige	39 x 17 $\frac{1}{2}$ x 33 $\frac{1}{4}$	500 lbs.	29 $\frac{1}{2}$ lbs.	
RCP 4500 88 BLA	Black	39 x 17 $\frac{1}{2}$ x 33 $\frac{1}{4}$	500 lbs.	29 $\frac{1}{2}$ lbs.	
RCP 4520 88 BE1	Beige	45 $\frac{1}{4}$ x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	500 lbs.	41 lbs.	
RCP 4520 88 BLA	Black	45 $\frac{1}{4}$ x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	500 lbs.	41 lbs.	
RCP 4520 10 BLA*	Black	44 x 25 $\frac{1}{4}$ x 37 $\frac{1}{4}$	500 lbs.	63 lbs.	
RCP 4546 BLA	Black	54 x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	750 lbs.	49 lbs.	
RCP 4546 10 BLA*	Black	54 x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	750 lbs.	71 lbs.	


* Includes pneumatic casters

B. Heavy-Duty Flat Shelf Utility Cart

Transport materials, supplies and heavy loads in almost any environment. Variable grip height handle improves control and worker safety. Four nonmarking casters. 


No.	Color	Size (W x D x H)	Max. Cap.	Shpg. Wt.	Each
RCP 4505 88	Beige	37 $\frac{1}{2}$ x 19 $\frac{1}{2}$ x 33 $\frac{1}{4}$	500 lbs.	29 $\frac{1}{2}$ lbs.	
RCP 4505 BLA	Black	37 $\frac{1}{2}$ x 19 $\frac{1}{2}$ x 33 $\frac{1}{4}$	500 lbs.	29 $\frac{1}{2}$ lbs.	
RCP 4525 88	Beige	43 $\frac{1}{4}$ x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	500 lbs.	41 lbs.	
RCP 4525 BLA	Black	43 $\frac{1}{4}$ x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	500 lbs.	41 lbs.	
RCP 4545 BLA	Black	54 x 25 $\frac{1}{4}$ x 36	750 lbs.	44 lbs.	

C. Service/Utility Carts

Structural foam construction. Two tray style shelves securely hold contents. Molded in handle with convenient storage compartments. Four nonmarking swivel casters. Easy assembly 31 $\frac{1}{2}$ in. high. 

No.	Color	Size (W x D)	Max. Cap.	Shpg. Wt.	Each
RCP 9T66 BLA	Black	34 x 16	300 lbs.	36 $\frac{1}{4}$ lbs.	
RCP 9T67 BLA	Black	40 x 24	300 lbs.	42 $\frac{1}{4}$ lbs.	

D. Instrument Cart

For use in hospitals, health care centers, labs and hotels/motels. For transporting instruments and supplies. Three smooth, easy to clean shelves, sliding top drawer and two molded handles. Enclosed bottom shelf has locking doors to secure contents. 300 lb. maximum load capacity, 100 lbs. per shelf. Easy "pound together" assembly. Four nonmarking casters. Gray. 40 $\frac{1}{2}$ W x 20 $\frac{1}{2}$ x 37 $\frac{1}{4}$ H. Shpg. wt. 51 $\frac{1}{2}$ lbs. 

RCP 4094 GRA Each

E. Three-Shelf AV/Equipment Cart, Lockable Enclosed Shelf

300 lb. total load capacity (100 lbs. per shelf). Sized to carry large loads. Rounded corners won't damage walls. Upscale appearance ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle. Comfortable, rounded handles have molded in storage bins for small items. Quiet, nonmarking casters. Black. 40 $\frac{1}{2}$ W x 20 $\frac{1}{2}$ D x 37 $\frac{1}{4}$ H. Shpg. wt. 52 lbs. RCP 4095 BLA Each




Weight Capacity

The maximum weight that this product can accommodate.



**A. Executive Service Cart**

Highly aesthetic design for front and back of house applications. Extra large top shelf fits two 4½ gallon bus boxes (FCP 3343 GBA, sold separately). Shelves feature raised edges and sturdy side panels to keep contents secure. Thick shelves provide added strength, 300 lb. weight load capacity. Two rounded ergonomic handles for comfort. Solid base bumper protects walls and furniture. Durable, easy to clean polypropylene construction. Heavy duty, nonmarking 4 in. casters. Black. 21w x 29d x 38h. 

FCP 3168-8LA Each

UTILITY CARTS

- Sized to carry large loads and reduce return trips
- Rounded corners won't damage walls


Upscale appearance is ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle with quiet, nonmarking casters. Comfortable, rounded handles.

No.	Color	Shpg. Wt.	Each
B. 3 Shelf Utility Cart, Open All Sides 300 lb. total load capacity (100 lbs. per shelf). 40½w x 20d x 37½h. 			
FCP 4031	Off White	46 lbs.	
FCP 4031	Black	46 lbs.	
C. 4 Shelf Utility Cart, Open All Sides 300 lb. total load capacity (75 lbs. per shelf). 40½w x 20d x 51 h. 			
FCP 4036	Black	52 lbs.	
D. 3 Shelf Utility Cart, Enclosed On 3 Sides 300 lb. total load capacity (100 lbs. per shelf). 40½w x 20d x 37½h. 			
FCP 4033	Off White	51 lbs.	
FCP 4033	Black	51 lbs.	

THREE-SHELF UTILITY/SERVICE CARTS


- Quiet operation
- Dual molded handles; nonmarking swivel casters
- Easy to clean smooth surfaces

E. Three-Shelf Utility Cart with Brushed Aluminum Uprights

Ideal for offices or foodservice. 200 lb. total load capacity. Shelves have slight lip on three sides; one flat side for easy loading. 4 in. diameter casters. Assembles easily in minutes. 18½w x 33½d x 37½h. Shpg. wt. 30 lbs. 


No.	Color	Each
FCP 3424-88-8LA	Black	
FCP 3424-88-8LA	Platinum	

F. Three-Shelf Service Cart with Brushed Aluminum Uprights

Ideal for office use. 100 lb. total load capacity. Shelves have one flat side for easy loading; lip on three sides. 3 in. diameter swivel casters. Easy to assemble. Beige. 16½w x 31½d x 38h. Shpg. wt. 21½ lbs. 

FCP 3165-71-8E1 Each

G. Three-Shelf Utility Cart with Enclosed End Panels

Structural foam construction for durability. Ideal for offices or foodservice. Flat shelves. Enclosed on two sides. 300 lb. total load capacity. 4 in. diameter casters. Platinum. 18w x 31d x 37½h. Shpg. wt. 38.6 lbs. 

FCP 3355-88-8LA Each

UTILITY CART BINS

Handy bins convert utility carts to binning systems. Top rim has a lip which rests on cart beneath the handle. For FCP 3355-88, FCP 3424-88, FCP 4031, FCP 4033, FCP 4034, FCP 4035 and FCP 4036 Utility Carts.

H. Refuse Bin

8 gallon capacity. Black. 17w x 12d x 22h.

FCP 3353-88-8LA Each

I. Utility Bin

4 gallon capacity. Black. 17w x 12½d x 10½h.

FCP 3354-88-8LA Each

300
lb capacity

A

Refuse Bin H.
FCP 3353-88 8LA
and Utility Bin I.
FCP 3354-88 8LA
each sold separately.

300
lb capacity

I

H

B

300
lb capacity

C

300
lb capacity

D

200
lb capacity

E

100
lb capacity

F

300
lb capacity

G



Adjustable shelves—
includes posts and clips.



Lid slides back for
easy walk-in access.



tansco

A. 75" High Commercial Metal Shelving

350-lb. capacity per shelf (based on 36 x 18 shelf evenly distributed). Includes five 36w x 18d shelves, plus posts and shelf clips. Shelves adjust in 1-in. increments with compression clips. Medium Gray. Shpg. wt. 61-lbs.

TNS 109694

Each

Multi-purpose

B. Roughtote® Clear Storage Boxes

Durable polypropylene boxes keep contents contained, dry and dust-free. Shatter-resistant down to 0°F. Built-in handles for easy lifting and carrying. Clear polypropylene with White lid.

No.	Capacity	Each
RHP 3Q24 CLE	3-gal.	

C. Roughneck® Storage Boxes

Rugged storage boxes are shatter-resistant. Sturdy, built-in handles for easy carrying. Snap-on, stay-tight lids help keep contents dry and dust-free. Stackable for easy, space-saving storage. Steel color. Manufacturer's lifetime warranty.

No.	Capacity	Each
RHP 2214TP STE	10-gal.	
RHP 2212CP STE	14-gal.	
RHP 2215CP STE	18-gal.	

OUTDOOR STORAGE SHEDS

- All structures are freestanding and weather resistant
- Interlocking double-wall blow-molded panels for strength and durability
- Tough, durable floor included
- Easily assembles in less than 30 minutes
- Sheds have hasp for a padlock (not incl.)

D. Large Vertical

Eight interlocking panels. Molded-in grooves for three shelves (not incl.). Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 52 cu. ft. capacity. 52w x 32d x 77h. Shpg. wt. 130-lbs.

◆RHP 3746

Each

E. Large Horizontal

Six interlocking panels. Molded-in grooves for one shelf (not incl.). Molded-in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Lid prop bar included. Sandstone/Olive. 32 cu. ft. capacity. 56.5w x 32d x 48h. Shpg. wt. 92.81-lbs.

◆RHP 3747

Each

F. Horizontal

Seven interlocking panels. Molded-in grooves hold one shelf (not incl.). Lid prop bar included. Sandstone/Olive. 18 cu. ft. capacity. 55w x 28d x 36h. Shpg. wt. 52-lbs.

◆RHP 3748

Each

G. Slide-Lid

Lid slides back for easy walk-in access. Ideal for storing bikes and lawn equipment. Structural foam floor supports up to 1,300 lbs. Sandstone/Olive. 92 cu. ft. capacity. 60w x 79d x 54h. Shpg. wt. 262.76-lbs.

◆RHP 3752

Each

**DON'T
FORGET!**



Product Type

Benefit Feature

Tilt trucks

This truck maximizes maneuverability. The design matches the name: these trucks make it easy to dump contents. Making them ideal for handling bulky materials and loads that are medium to heavyweight. Wheels and the overall profile help protect surroundings. Consider your need for the lid option. *(Find these on pages 344-345)*



Platform trucks

Accommodate loads of varying shapes and sizes aboard a high-capacity platform truck. Depending on what you're moving, you'll want to look at support—more when you're loading multiple, hard-to-balance items, less when loads are more well-balanced. Some platform trucks offer work-height surfaces. *(Find these on pages 346-349)*



Hand trucks

Carry a surprisingly heavy load with ease and agility with a two-wheeled hand truck. Buy a model that's dedicated to this role, or combine functionality with a convertible truck that switches from a two-wheeled configuration to a four-wheeled platform. *(Find these on page 346)*



Convertible trucks

Change configurations to use one truck in multiple applications. Some versions combine removable shelving with a more open platform truck option. Others provide support alternatives that adjust to the loads you're transporting. *(Find these on pages 330, 347)*

